Effective ...

2013 AUTHORIZATION ORDER FORM

KINCHARIMON (January	1, 2013
SYSTEM SYSTEM	13-	
- HESCHI -		


800-552-5669 • 6	23-687-2300 • Fax: 623-6	87-2290 • WWW.KNOXBOX	COM COM
Section 1 ORDERED BY	■ CONTRACTOR	PROPERTY OWNER	R GOV. AGENCY
COMPANY / AGENCY		The state of the s	DATE ORDERED
STREET	hannelaranteranteranteranteranteranterante		SUITE / BUILDING
CUTY			710 0005
CITY		STATE	ZIP CODE
CONTACT NAME		PO A	IUMBER (GOV. AGENCIES ONLY)
CONTROL NAME			I I I I I I I I I I I I I I I I I I I
PHONE NUMBER	E-MAIL ADDRESS		
Ludwidend Ludwidend	Landard Landard		
	أجوأه بالمطب أعظم المطب المعارب المعارب	IMPORTANT NOTE V	nox® Master Keys are provided to authorized agencies
	OT BE PROCESSE		ntities on an as-needed basis solely for use with the
Without Auth	orized Signature	Knox Rapid Entry Sys	stem. No other use of the Knox Master Keys or their
		associated codes is a	authorized or permitted. Knox Master Keys and Key
		Codes associated wi	th the Knox Master Keys and Keyways remain the
Mantagement Co Empre Cupo		exclusive property of	the Knox Company. Key Codes associated with the
Montgomery Co Emerg Svcs			nd Keyways are maintained by the Knox Company
100 EDISON PARK DR FL 2		in Phoenix, Arizona.	For questions regarding this policy, contact Knox at
GAITHERSBURG, MD 20878-32	10	800-552-5669.	
7 97		Authorizing	Agency Approval Signature Required
		Authorizing	to Sub-master Items
Authorized Agency Signature and Date	Print Name Clearly		
PS-39-0114		☐ Check here to	
System Co		Sub-master fee \$7.0	00 per keyed item. Authorized Agency Signature
System Co	ue	The second second	Authorized Agency Signature
C 2	Section 4	OBDER RRODUCT N	ERE – USE ATTACHED PRICE LIST
Section 3 PRE-PAYMENT			
INFORMATION REQUIRED	Quantity Pa	rt# Weight Ea.	Price Ea. Extended Price
Charle or Manay Order made equable to:			
Check or Money Order made payable to: KNOX COMPANY Federal I.D. #95-3617858		\$	S
KNUX CUMPANT FEDERALI.D. #95-3017050			
□ VISA □ MC EXP. DATE (MM / YY)		\$	\$
DAMEY DOISE			
AMEX DISC		\$	\$
AND HUMBER	Incomplete Control Control	manufacture of the second second second	Sub-master Fee
CARD NUMBER	***** C	redit Card Orders can be FAXED or	(if required, \$7.00 ea.) \$
	G S	redit Card Orders can be FAXED or canned and emailed to:	Shipping and
NAME ON CARD	T	rders@knoxbox.com	Handling \$
NAME ON CARD	1-1-1-1-1		S bearingsome permanent process of the second control of
			Subtotal S
		Cardholder Signature	NO TAX Required
Section 5 INSTALLATION ADDR	RESS - REQUIRED BY	AUTHORIZED AGENCY	Sales Tax \$
		TROFIT	Experienced accompanies recognised to the contract of the cont
BUILDING NAME (WHERE ITEM WILL BE INSTALLED) - PLEASE TYP			Pre-payment Total \$
THE RESIDENCE OF THE PROPERTY	E NOOTTOWNE INCOMENTAL REUTIESSES ST	T T T T T T T T T T T T T T T T T T T	Ground Shipping & Handling
STREET ADDRESS (NO P.O. BOXES)	.,,		1 lb. to 7 lbs. \$14.00 Please call
			8 lbs. to 16 lbs. \$26.00 Knox for quote:
CITY	-llllll		17 lbs. to 30 lbs. \$40.00 75 lbs.+ and/or
CITY	THEFT		31 lbs. to 50 lbs. \$45.00 <i>Alaska, Hawaii,</i>
			0
			51 lbs. to 75 lbs. \$60.00 Canada
Section 6 SHIP TO ADDRESS IS	REQUIRED S	AME AS INSTALL ADDRESS	DIICUS Call for Rates and Check Box:
SHIP TO CONTACT NAME		7-7-1-1-1-1-1	RUSH? Next Day Air 2nd Day Air
			OFFICE USE ONLY
COMPANY NAME	COUNTY	eterroleradoradoradoradorad	O/N
	T T T T		REC'D
			NEO D
STREET ADDRESS (NO P.O. BOXES)			Send this form with payment to:
CITY		TATE ZIP CODE	KNOX COMPANY
	S	TATE ZIP CODE	1601 W Deer Valley Road

Phoenix, AZ 85027

Contents

Knox-Box® 3200 Series - Page 4





Knox-Vault® 4100 Series - Page 5





Knox-Vault® 4400 Series - Page 5





Knox® Cabinets - Page 6





Knox® Elevator Box - Page 6



Knox® Key Switches -Knox® Padlocks -Page 8



Page 8





Knox® Electrical Power Shutdown Station -Page 8



Knox® **Part Numbers** and Price List -Page 9-12

KNOX-BOX* key box products are rigorously tested by Underwriter's Laboratories and carry some or all of the following listings as indicated throughout this catalog.

SECURITY LISTED

UL 1037 Antitheft Alarms and Devices (entire unit)

UL 437 Standard for Safety for Key Locks (keyway) UL 1610 Central Station Alarm Units (units with tamper switch)

UL 1332 Organic Coatings for Steel Enclosures for

Outdoor Use Electrical Equipment (powder coat) UL 508 Industrial Control Equipment (entire unit)



E-mail: info@knoxbox.com www.knoxbox.com 623-687-2300 • 800-552-5669 Fax 623-687-2290

Three sizes available to meet a wide variety of applications




UL® 1037 Listed


ALL KNOX[®] key box products are UL 1037 listed against physical attack as required by the 2012 IFC and NFPA 1



Knox-Box® 3200 Series Holds up to 10 Keys



Knox-Vault® 4100 Series Holds up to 24 Keys



Knox-Vault® 4400 Series Holds up to 50 Keys

KNOX-BOX® 3200 Series w/ Hinged Door



#3275 Recessed



#3266 Surface



Heavy-duty, high security construction

- Allows single-handed operation
- Door attached with hinge, it's all one unit
- Ensures efficient emergency response
- Capacity for up to 10 keys and/or access cards
- 1/2" solid steel door
- Dimensions: Surface 4" H x 5" W x 3-3/4" D Recessed 7" H x 7" W Flange
- Ship Weight: 10 lbs.
- Colors: Black, Aluminum, Dark Bronze
- Finish: Knox-Coat® Proprietary Coating System; UL1332 Outdoor Electrical Use



KNOX-BOX® 3200 Series w/ Lift-Off Door - Heavy Duty





#3227 Recessed



- Heavy-duty, high security construction
- Capacity for up to 10 keys and/or access cards
- 1/2" solid steel door
- Dimensions: Surface 5" H x 4" W x 3-3/4" D Recessed 7" H x 7" W Flange
- Ship Weight: 10 lbs.
- Colors: Black, Aluminum, Dark Bronze
- Finish: Knox-Coat® Proprietary Coating System: UL1332 Outdoor Electrical Use

Options:

- Alarm tamper switches
- Multi-purpose electrical switch
- Recessed Mounting Kit available for new masonry construction

Knox® Master Keys are provided to authorized agencies or other registered entities on an as-needed basis solely for use with the Knox Rapid Entry System. No other use of the Knox Master Keys or their associated codes is authorized or permitted. Knox Master Keys and Key Codes associated with the Knox Master Keys and Keyways remain the exclusive property of the Knox Company. Key Codes associated with the Knox Master Keys and Keyways are maintained by the Knox Company in Phoenix, Arizona. For questions regarding this policy, contact Knox at 800-552-5669.

Knox® Rapid Entry System Product Catalog

KNOX-VAULT® 4400 Series - Heavy Duty



#4414 Surface



- Heavy-duty, high security construction
- 50 key capacity storage, for access cards, floor plans
- 5/8" solid steel door, re-locking mechanism with drill resistant hard-plate lock protector
- Dimensions: Surface 7" x 7" W x 5" D Recessed 9-1/2" H x 9-1/2" W Flange
- Ship weight: 29 lbs.
- Colors: Black, Aluminum, Dark Bronze
- Finish: Knox-Coat® Proprietary Coating System; UL1332 Outdoor Electrical Use



Options:

- Single, dual or combination locks
- Alarm tamper switches
- Recessed Mounting Kit available for new masonry construction
- Multi-purpose electrical switch
- Push button switch for mag lock and door operation (low voltage)
- FDC Keywrench /Access card holder



KNOX-BOX® Accessories Available for the 4100 Series and 4400 Series



Multi-purpose Electrical Switch 28 Volts AC/DC 5a Max.

(Also available for 3200 Series)



Push-Button Momentary Switch 24 Volts AC/DC 0.25a Max.

SECURITY UL 1037



FDC Keywrench/ Access Card Holder



FDC Keywrench/ Access Card Holder Shown in use

KNOX-VAULT® 4100 Series - Heavy Duty



#4144 Recessed

#4114 Surface



Options:

- Single or dual lock

- Alarm tamper switches
- Recessed Mounting Kit available for new masonry construction
- Multi-purpose electrical switch
- Push button switch for mag lock and door operation (low voltage)
- FDC Keywrench /Access card holder

For those applications where a 3200 Series is too small yet the 4400 Series is too large. The 4100 is available with an optional Knox Keywrench holder allowing departments to keep a Knox FDC Keywrench on site.

- Heavy-duty, high security construction
- 24 key capacity storage, for access cards, floor plans
- 1/2" solid steel door, re-locking mechanism with drill resistant hard-plate lock protector
- Dimensions: Surface 6"H x 6"W x 4-1/2"D Recessed 8-1/2"H x 8-1/2" W Flange
- Ship weight: 21 lbs.
- Colors: Black, Aluminum, Dark Bronze
- Finish: Knox-Coat® Proprietary Coating System; UL1332 Outdoor Electrical Use

Knox-Vault® 4100 Series

Knox-Vault® 4400 Series

Knox® Rapid Entry System Product Catalog

Knox® Elevator/Lobby Key Box

1400/1450 Series - UL listed high security box designed specifically for the elevator lobby.

The Standard elevator box can store up to (2) elevator door "drop keys" plus additional keys to meet latest IFC and NFPA 1 standards.

The Mini elevator box is for standard key storage only and offers a lower profile than the standard KNOX-BOX, making it a more attractive choice for lobby or elevator corridor use when needed.

The Knox Elevator/Lobby Key Box can be keyed to an existing Knox System.

- Standard Dimensions: 10-1/2"H x 7-1/2"W x 2"D
- Mini Dimensions: 8-1/2"H x 5"W x 2"D
- Ship Weight: Standard = 14 lbs; Mini = 9 lbs
- Material: 10 gauge steel housing; 10 gauge steel door
- Colors: Deep Red, Dark Bronze, Aluminum or Black
- Deep Red with "Fire Dept. Use Only" banner required
 - Dark Bronze and Aluminum with optional banner
- Black available without banner only
- Finish: Knox-Coat® Weather resistant proprietary coating system
- Options Alarm tamper switch

Standard Elevator Box only:

- Right-side, 13 key-hook expansion panel
- Left-side key panel available with 13 key-hooks if no elevator drop key storage is needed, call for part numbers

CURITY UL 1037





Standard Elevator Box 1400 Series

Mini holds 8 standard keys ONLY,

no elevator "drop keys"



(4) Key-Hooks

Elevator "Drop Key" Storage

Optional Tamper Switch

(9) Standard Key-Hooks Included



Mini Elevator Box

1450 Series

UL 1037 listed as required by the 2012 IFC and NFPA 1

#1404

#1449 Right-side. 13 key-hook **Expansion Panel** available for additional storage.



Knox® Cabinet

- . 1300 Series UL listed high security armored cabinet
- Stores up to 231 keys, blueprints, floor plans, MSDS, Haz-Mat information and other entry items
- Available in 5" or 7" depths
- Dimensions: 18" H x 14-1/2" W x 5" or 7" D
- Ship Weight: 67 lbs.
- Color: Light grey

Finish: Knox-Coat® Weather resistant proprietary coating system



#1307 Dual Lock



#1308 w/ Optional Back Panel and Swing Panels.



- 1100 Series Document storage cabinet
- Stores blueprints, floor plans, MSDS, Haz-Mat information and other items (Not suitable for key storage)
- Dimensions: 14" H x 14" W x 4-1/4" D
- Ship Weight: 26 lbs.
 - Color: Light grey Finish: Knox-Coat® Weather resistant proprietary coating system



#1201 Weather Housing/Rain Shield with #1301 Cabinet Inside. Has latch without lock. Door folds down as work surface

- 1201 Weather housing/Rain shield
- Protect Knox cabinet from weather
- Weather housing has latch without lock
- Dimensions: 21" H x 20" W x 13-5/8" D
- Ship Weight: 75 lbs.
- Color: Light grey Finish: Knox-Coat® Proprietary Coating System; UL1332 Outdoor Use

Knox® Rapid Entry System Product Catalog

Now Available - Knox® Remote Electrical Power Shutdown Station







Features:

- Allen-Bradley Type 4/13 Watertight Selector Switch
- · NEMA Type 2, 3R electrical enclosure
- Lock Out/Tag Out Posts

The 4500 Series Remote Shutdown Station houses an electrical service disconnect switch that can be used by first responders during an emergency. The shutdown switch is designed to remotely operate the building's shunt trip switch which will disconnect all electrical power to the building. It can also be used to disconnect power to HVAC controls, industrial equipment lockout or photovoltaic/solar powered systems.

Dimensions:

Surface: 7"H x 7"W x 7-1/4"D Recessed: 9-1/2"H x 9-1/2"W Flange

- Electrical Ratings: Main Switch: 24-480VAC, 125VA MAX, PILOT DUTY, PER CONTACT BLOCK Tamper Switch: 24VDC, 50mA, general use Enclosure Rating: Type 2, 3R
- Ship Weight: 35 lbs.
- Material: 1/4" steel housing, 5/8" thick steel door
- Color: Red, Black, Aluminum, Dark Bronze
- Finish: Knox-Coat® Proprietary Coating System; UL1332 Outdoor Electrical Use



Options:

- Available in Surface and Recessed configurations
- Alarm tamper switches
- Single or dual locks



Can also be used as a remote solar/wind electrical power shutdown station.











- Electric override for perimeter gates, parking garages and gated communities
- · For fire, EMS & law enforcement
- · Single or dual-key options
- · All stainless steel dust cover
- · Ship Weight: 1 lb.

Knox® Padlocks





Lock Core **UL437**

Exterior - All Weather Conditions

- Secures perimeter and fire access gates, and other fire department equipment
- Heavy duty brass body, stainless steel 7/16" diameter shackle
- Protective EPDM boot with shackle seal
- Metal keyway cover

Shrouded - All Weather Conditions

- · Shrouded shackle resists pry and cut attacks for added security
- · Heavy duty brass body, stainless steel 7/16" diameter shackle
- Protective LDPE boot
- LDPE keyway cover



#3772

Interior - Light Duty

· Brass body and hardened steel 5/16" diameter shackle



#3771



WARNING: Before ordering, measure hasp fittings to ensure proper shackle size.

Ship Weight: 2 lbs.



Padlocks

2013 Price List - Order Online at www.knoxbox.com

Prices in U.S. Dollars. Prices and availability subject to change.

Included Not Included

Knox-Box® 3200 Series

Holds up to 10 Keys Ship Weight = 10 lbs.



	#3266 Surface
	#3200 Surface
No. of the last of	
#3275 Recessed	-

Door Type	Mount Type	Tamper Switch	Color	Part Number	Price
Hinned	Surface	-	Black	3261	\$255.00
Hinged	Mount	•	Black	3262	\$295.00
			Aluminum	3263	\$265.00
		•	Aluminum	3264	\$305.00
		40	Dark Bronze	3265	\$265.00
		•	Dark Bronze	3266	\$305.00
	Recess	77.5	Black	3270	\$295.00
	Mount	•	Black	3271	\$335.00
	Page 1	=	Aluminum	3272	\$305.00
		•	Aluminum	3273	\$345.00
		-	Dark Bronze	3274	\$305.00
		•	Dark Bronze	3275	\$345.00
	Optional Multi-	3291	\$21.00		
	3200 Hinged Do	3290	\$79.00		
Lift-Off	Surface	-	Black	3201	\$215.00
	Mount	•	Black	3202	\$255.00
		_	Aluminum	3205	\$225.00
		•	Aluminum	3206	\$265.00
		-	Dark Bronze	3207	\$225.00
		•	Dark Bronze	3208	\$265.00
	Recess	-	Black	3220	\$255.00
	Mount	•	Black	3221	\$295.00
		=	Aluminum	3224	\$265.00
		•	Aluminum	3225	\$305.00
		-	Dark Bronze	3226	\$265.00
		•	Dark Bronze	3227	\$305.00
	Optional Multi-	purpose elec	ctrical switch	3241	\$21.00
	3200 Lift-off Do	or Recessed	Mounting Kit	3240	\$79.00

	Vault® to 50 Keys = 29 lbs.	4400	Serie	S	
			#44	14 Surface	
	#4444 Rec	accad			
Lock Type	Mount Type	Tamper Switch	Color	Part Number	Price
	Surface	-	Black	4401	\$378.00
Single Lock	Mount	•	Black	4402	\$418.00
		-	Aluminum	4409	\$388.00
		•	Aluminum	4410	\$428.00
		-	Dark Bronze	4413	\$388.00
		•	Dark Bronze	4414	\$428.00
	Recess		Black	4430	\$428.00
	Mount	•	Black	4431	\$468.00
		-	Aluminum	4439	\$438.00
		0	Aluminum	4440	\$478.00
		-	Dark Bronze	4443	\$438.00
		•	Dark Bronze	4444	\$478.00
	4400 Rece	ssed Moun	ting Kit	4470	\$95.00
D I I I	Surface		Black	4403	\$438.00
Dual Lock	Mount	•	Black	4404	\$478.00
		120	Aluminum	4411	\$448.00
		•	Aluminum	4412	\$488.00
		-	Dark Bronze	4415	\$448.00
		•	Dark Bronze	4416	\$488.00
	Recess	-	Black	4432	\$488.00
	Mount	0	Black	4433	\$528.00
	1	_	Aluminum	4441	\$498.00
		•	Aluminum	4442	\$538.00
		_	Dark Bronze	4445	\$498.00
		•	Dark Bronze	4446	\$538.00
	4400 Rece	essed Moun	ting Kit	4470	\$95.00
	Optional Multi-p	ourpose elec	trical switch	4471	\$21.00
4400 Accessories	Keywre	nch/card ho	lder	4472	\$11.00

\$9.00

4473

Push Button Switch

2013 Price List - Order Online at www.knoxbox.com

Prices in U.S. Dollars. Prices and availability subject to change. IncludedNot Included

Knox-Vault® 4100 Series

Holds up to 24 Keys Ship Weight = 21 lbs.



#4114 Surface



Recessed Shown with 4100 Series accessories installed					
Lock Type	Mount Type	Tamper Switch	Color	Part Number	Price
Single Lock	Surface	-	Black	4101	\$353.00
Single Lock	Mount	•	Black	4102	\$393.00
	Don.	-	Aluminum	4109	\$363.00
0	A. C.	•	Aluminum	4110	\$403.00
		-	Dark Bronze	4113	\$363.00
		•	Dark Bronze	4114	\$403.00
-	Recess	-	Black	4130	\$403.00
	Mount	•	Black	4131	\$443.00
	May.	-	Aluminum	4139	\$413.00
		•	Aluminum	4140	\$453.00
		-	Dark Bronze	4143	\$413.00
		•	Dark Bronze	4144	\$453.00
	4100 Rece	4170	\$90.00		
Dual Lock	Surface	, -	Black	4103	\$413.00
Duai Luck	Mount	•	Black	4104	\$453.00
	Dry	-	Aluminum	4111	\$423.00
	F.	•	Aluminum	4112	\$463.00
		-	Dark Bronze	4115	\$423.00
		•	Dark Bronze	4116	\$463.00
	Recess		Black	4132	\$463.00
	Mount	•	Black	4133	\$503.00
	Or.	-	Aluminum	4141	\$473.00
		•	Aluminum	4142	\$513.00
		-	Dark Bronze	4145	\$473.00
-	V	•	Dark Bronze	4146	\$513.00
	4100 Recessed Mounting Kit			4170	\$90.00
	Optional Multi-	purpose elec	trical switch	4171	\$21.00
4100 Accessories	Keywre	ench/card ho	lder	4172	\$11.00
	Push	Button Swit	ch	4173	\$9.00

Knox® Cabinet 1300 Series

Holds up to 231 Keys with optional swing panels, see page 6.

Ship Weight = 67 lbs.



#1308 w/ Optional Back Panel and Swing Panels.



#1	2	n	7	n		9	н	n	0	b
TC - 5	J	v	ı	u	u	а	-	u	U.	n

Lock Type	Depth	Tamper Switch	Color	Part Number	Price
Single Lock	5 inch	1 - 1	Lt. Grey	1301	\$627.00
	o mon	•	Lt. Grey	1303	\$667.00
	7 inch	-	Lt. Grey	1302	\$667.00
	7 111611	•	Lt. Grey	1304	\$707.00
Dual Lock	5 inch	-	Lt. Grey	1305	\$687.00
Dual Lock		•	Lt. Grey	1307	\$727.00
	7 inch	-	Lt. Grey	1306	\$727.00
		•	Lt. Grey	1308	\$767.00

Back Key Hook Panel - 48 Keys	1351	\$75.00
Back Rey Hook Pallel - 40 Reys	1001	\$75.00
Swing Key Hook Panel & Mounting Assembly - 78 Keys	1352	\$154.00
2nd Swing Key Hook Panel for 7" Deep Model Only (must already have mounting assembly)	1353	\$121.00
Non Locking Weather Housing/Rain Shield (for exterior cabinet protection) Ship Weight = 75 lbs.	1201	\$385.00
1300 – 5 inch Cabinet with Jail Key Hooks	1360	\$627.00

1100 Series

Part	Color	Part Number	Price
Data Storage Cabinet (Not for key storage) Ship Weight = 26 lbs.	Lt. Grey	1100	\$298.00

Accessories

Part	Part Number	Price
Fire Dept. Red Reflective Alert Decal	1001	\$2.00
Pre-Fire Plan Reflective Decal (8" x 8")	1005	\$12.00
Key Tags (Package of 10)	1006	\$3.00
One Inch Key Rings (Package of 10)	1007	\$4.00
Tamper Seals (Package of 50)	1008	\$10.00
Tamper Evident Bags (Package of 10)	1009	\$3.00

2013 Price List - Order Online at www.knoxbox.com

Prices in U.S. Dollars. Prices and availability subject to change.

Included Not Included

4500 Series

Knox® Elevator/Lobby Box 1400 Series Ship Weight: Standard = 14 lbs.; Mini = 9 lbs.





Standard Elevator Box 1400 Series

Mini Elevator Box 1450 Series

#1404 with #1449 Expansion Panel

Standard color is Deep Red with "Fire Dept. Use Only" banner to meet latest IFC and NFPA 1 standards. Black also available, call.

1400 Series Knox Standard Elevator/Lobby Box

Part	Tamper Switch	Color	Part Number	Price
Standard Elevator Box	150	Deep Red	1403	\$295.00
Standard Elevator Box	•	Deep Red	1404	\$335.00
Standard Elevator Box	-	Aluminum	1433 / 1409*	\$295.00
Standard Elevator Box	•	Aluminum	1434 / 1410*	\$335.00
Standard Elevator Box	12	Dark Bronze	1437 / 1413*	\$295.00
Standard Elevator Box	•	Dark Bronze	1438 / 1414*	\$335.00
13 Hook Expansion	Panel	Red/Alum/Brz	1449	\$40.00
13 Hook Alternate Le	ft Panel	1 1 0 CM C	ge if ordered initially stails and part numb	
1450 Serie	s Knox	Mini Elevat	or/Lobby Bo	X
Mini Elevator Box	-	Deep Red	1453	\$274.00

Mini Elevator Box	==	Deep Red	1453	\$274.00
Mini Elevator Box	•	Deep Red	1454	\$314.00
Mini Elevator Box	-	Aluminum	1457 / 1455*	\$274.00
Mini Elevator Box	•	Aluminum	1458 / 1456*	\$314.00
Mini Elevator Box	-	Dark Bronze	1461 / 1459*	\$274.00
Mini Elevator Box	•	Dark Bronze	1462 / 1460*	\$314.00
		The second secon	2077 500	W

^{*}Part number for box without "Fire Dept. Use Only" banner on door.

Knox® Ship Weight = 1 lb.



#3503



Part (includes all stainless steel dust cover)	Part Number	Price
Key Switch	3501	\$73.00
Key Switch on Mounting Plate	3502	\$91.00
Double Key Switch on Mounting Plate	3503	\$145.00

Knox® Remote Electrical Power Shutdown Station

Ship Weight = 35 lbs.







Lock	Mount	Tomner			
Туре	Туре	Tamper Switch	Color/Part Number		Price
Lock	06	-	Red/4505	Black/4501	\$694.00
	Surface Mount	•	Red/4506	Black/ 4502	\$734.00
		=	Aluminum/4509	Dk. Bronze/ 4513	\$704.00
		•	Aluminum/4510	Dk. Bronze/ 4514	\$744.00
	Recess Mount	-	Red/4534	Black/ 4530	\$744.00
		•	Red/ 4535	Black/4531	\$784.00
		-	Aluminum/4539	Dk. Bronze/ 4543	\$754.00
		•	Aluminum/4540	Dk. Bronze/4544	\$794.00
Dual		-	Red/4507	Black/ 4503	\$754.00
Lock		•	Red/4508	Black/4504	\$794.00
		-	Aluminum/4511	Dk. Bronze/ 4515	\$764.00
		•	Aluminum/4512	Dk. Bronze/ 4516	\$804.00
	Recess Mount	2	Red/4536	Black/ 4532	\$804.00
		•	Red/4537	Black/ 4533	\$844.00
		-	Aluminum/4541	Dk. Bronze/4545	\$814.00
		•	Aluminum/4542	Dk. Bronze/4546	\$854.00

Knox® **Padlock**

Ship Weight = 2 lbs.







#3772

#3770

#3771

Part	Part Number	Price
Shrouded - All Weather Conditions 7/16" diameter stainless steel shackle, 3/4" H shackle clearance	3772	\$99.00
Exterior - All Weather Conditions 7/16" diameter stainless steel shackle, 1-13/16" H shackle clearance	3770	\$85.00
Interior - Light Duty 5/16" diameter hardened steel shackle, 2-3/8" H shackle clearance	3771	\$62.00